CODE: 43000-MG

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY UNDERTAKING

Product Identifier: RED-i WATERSPORT MARINE GREASE #2

Relevant identified uses of the substance or mixture and uses advised against: Intended use: Refer to Technical Data Sheet

Details of the supplier of the safety data sheet:

MOREY OIL SOUTH PACIFIC LTD 135 HEPBURN ROAD, GLENDENE AUCKLAND 0602, NEW ZEALAND Phone number: +649 8139200 Website: www.moreyoil.co.nz Email: info@moreyoil.co.nz

SECTION 2

HAZARDS IDENTIFICATION

Classification of the substance or mixture: Skin Irrit. 2;H315 Causes skin irritation

Label Elements:

Using the Toxicity Data listed in section 11 & 12 the product is labelled as follows.

GHS Label element:



Signal Word: WARNING

Hazard Statement:

	ient.	H315	Causes skin	irritation	
Precautionary Statements:		11313	Causes skill initiation		
Prevention: Response:		P280 P302+352 P362	Wear protective gloves/eye protection/face protection IF ON SKIN: Wash with soap and water Take off contaminated clothing and wash before reus		and water
HMIS	Health: Fire: Physical: Hazards: PPE:	2 1 0 C	NFPA	Health: Fire: Reactivity: Special Haza	2 1 0 ards:

Other Hazards:

This product contains no PBT/vPvB chemicals.

Not classified as hazardous according to the criteria of HSNO New Zealand.

SECTION 3		COMPOSITION / INFORMATION ON INGREDIEN	TS
CAS Number	%	Name EC I	No. 1272/2008 GHS Classification
0064742-52-5	<70	Distillate (petroleum) hydrotreated naphthenic	Not Classified
0064741-88-4	<20	Petroleum distillates, solvent-refined heavy paraffinic	Not Classified
Proprietary or N/A	<10	Hydroxyl Containing Saturated Fatty Acids	Not Classified
0015890-25-2	<10	Antimony, tris(dipentylcarbamodithioato-S,S')-(OC-6-1	1)- Not Classified
0009003-29-6	<5	Polybutene	Not Classified
0000111-20-6	<3	Decanedioic Acid	Not Classified
0001310-66-3	<3	Lithium hydroxide monohydrate	Skin Corr. 1;H314 STOT SE 3;H335

* The full texts of the phrases are shown in Section 16.

MEASURES doubt, or when symptoms persist, seek medical attention. ything by mouth to an unconscious person. ove person to fresh air and keep comfortable for breathing. s stopped, give artificial respiration. If breathing is difficult, give oxygen. , place in the recovery position and seek medical attention immediately. tact, immediately rinse skin with plenty of water. Remove contaminated hoes. If skin irritation occurs, seek medical attention. Launder contaminate e reuse. tact, immediately rinse eyes with plenty of fresh, clean water for at least 15 hove contact lenses if present and continue rinsing. Seek medical attention vomiting. Call a doctor or emergency medical facility immediately.
withing by mouth to an unconscious person. ove person to fresh air and keep comfortable for breathing. s stopped, give artificial respiration. If breathing is difficult, give oxygen. b, place in the recovery position and seek medical attention immediately. tact, immediately rinse skin with plenty of water. Remove contaminated hoes. If skin irritation occurs, seek medical attention. Launder contaminate e reuse. tact, immediately rinse eyes with plenty of fresh, clean water for at least 15 hove contact lenses if present and continue rinsing. Seek medical attention
withing by mouth to an unconscious person. ove person to fresh air and keep comfortable for breathing. s stopped, give artificial respiration. If breathing is difficult, give oxygen. b, place in the recovery position and seek medical attention immediately. tact, immediately rinse skin with plenty of water. Remove contaminated hoes. If skin irritation occurs, seek medical attention. Launder contaminate e reuse. tact, immediately rinse eyes with plenty of fresh, clean water for at least 15 hove contact lenses if present and continue rinsing. Seek medical attention
s stopped, give artificial respiration. If breathing is difficult, give oxygen. a, place in the recovery position and seek medical attention immediately. tact, immediately rinse skin with plenty of water. Remove contaminated hoes. If skin irritation occurs, seek medical attention. Launder contaminate e reuse. tact, immediately rinse eyes with plenty of fresh, clean water for at least 15 hove contact lenses if present and continue rinsing. Seek medical attention
hoes. If skin irritation occurs, seek medical attention. Launder contaminate e reuse. tact, immediately rinse eyes with plenty of fresh, clean water for at least 15 hove contact lenses if present and continue rinsing. Seek medical attention
ove contact lenses if present and continue rinsing. Seek medical attention
vomiting. Call a doctor or emergency medical facility immediately.
tute and delayed. No data available
and special treatment needed: No data available
ING MEASURES
oxide (CO2), dry chemical, or foam to extinguish flames.
composition products. May form CO and CO2.
full-face positive pressure breathing apparatus (SCBA) should be used.
used to cool and protect exposed material. Do not allow runoff water and from firefighting to enter drains or water courses.
a

Environmental precautions: Prevent entry into sewers and waterways. Report spills as required to appropriate authorities in accordance with all applicable regulations.

Methods and material for containment and cleaning up:

Ventilate the area and avoid breathing vapours. Take the personal protective measures
listed in section 8.
Contain and absorb spillage with non-combustible materials. Place in closed containers
outside buildings and dispose of according to the Waste Regulations. See section 13.
Clean preferably with a detergent. Do not use solvents.
Do not allow spills to enter drains or water courses.
If drains, sewers, streams or lakes are contaminated, inform the local water company
immediately. In the case of contamination of rivers, streams or lakes, the Environmental
Protection Authority should also be informed.
Dispose of in accordance with local environmental regulations.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling:

Handling:	Avoid skin and eye contact. Wash thoroughly after handling. Avoid breathing vapour. Use with adequate ventilation.
In storage:	Store in a dry location at room temperature. Keep this container and vapours from the container away from heat and flame. Keep container closed and maintain all original markings and labels.

Specific end use(s):	There are no exposure scenarios, see details in section 1.
Conditions for safe storage including any incompatibilities:	Keep away from strong oxidizing and reducing agents. CAUTION: Do not use cutting or welding torches on drums, even when empty. Do not reuse container. Containers, even those that have been emptied will retain product residue and vapours. Always obey hazard warnings and handle empty containers as if they were full.

SECTION 8 EXPOSURE CONTROLS - PERSONAL PROTECTION

Control parameters: The following occupational exposure limits have been established.

CAS NUMBER 0000111-20-6	INGREDIENT Decanedioic Acid	SOURCE OSHA ACGIH NIOSH	VALUE No established limit No established limit No established limit
0001310-66-3	Lithium hydroxide monohydrate	OSHA ACGIH NIOSH	No established limit No established limit No established limit No established limit
0009003-29-6	Polybutene	OSHA ACGIH NIOSH	No established limit No established limit No established limit
0015890-25-2	Antimony, tris(dipentylcarbamodithioato-S,S')- (OC-6-11)-	OSHA ACGIH NIOSH	No established limit No established limit No established limit
0064741-88-4	Petroleum distillates, solvent-refined heavy paraffinic	OSHA ACGIH NIOSH	No established limit No established limit No established limit
0064742-52-5	Distillate (petroleum) hydrotreated heavy naphthenic	OSHA ACGIH NIOSH	No established limit No established limit No established limit
Proprietary or N/A	Hydroxyl Containing Saturated Fatty Acids	OSHA ACGIH NIOSH	No established limit No established limit No established limit

Contains mineral oil. The exposure limits for oil mist are 5mg/m3 OSHA PEL and 10mg/m3 ACGIH.

Carcinogen data:

CAS NUMBER 0000111-20-6	INGREDIENT Decanedioic Acid	SOURCE OSHA IARC	VALUE Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0001310-66-3	Lithium hydroxide monohydrate	OSHA IARC	Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0009003-29-6	Polybutene	OSHA IARC	Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0015890-25-2	Antimony, tris(dipentylcarbamodithioato S,S')-, (OC-6-11)-	OSHA IARC	Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0064741-88-4	Petroleum distillates, solvent-refined heavy paraffinic	OSHA IARC	Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0064742-52-5	Distillate (petroleum) hydrotreated middle	OSHA IARC	Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
Proprietary or N/A	Hydroxyl Containing Saturated Fatty Acids	OSHA IARC	Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;

SAFETY DATA SHEET	CODE: 43000-MG	REVISION: 06/05/2022
DNEL/PNEC values:	No data available	
Exposure controls:	No special requirements under ordinary conditions of use a	nd with adequate ventilation.
Eye/face protection:	Wear safety glasses. If potential for splash or mist exists, w shield.	vear chemical goggles or face
Skin protection:	Wear chemical resistant gloves. Gloves should be inspecte if they show tears, pinholes or signs of wear.	ed before each use and discarded
Other:	Gloves, overalls, apron, boots, or other suitable protective g minimize contact based on the task being performed.	arments should be worn to
Respiratory protection:	Use NIOSH/OSHA approved respirator where high vapour	concentrations are present.
Thermal hazards:	No data available.	
SECTION 9	PHYSICAL AND CHEMICAL PROPERTIES	
_		

Appearance: Odour threshold: Melting point/freezing point (C): Flash point (C): Flammability (solid, gas): Vapour pressure (Pa): Solubility(ies): Decomposition temperature: Volatile Organic Compounds: Viscosity (cSt) @ 100 C:	BLUE GREASE Not determined >200 Not applicable Not determined negligible Not determined nil Not measured	Odour: pH: Initial boiling point and boiling range (C): Evaporation rate (H20 = 1): Relative density: Vapour density: Auto-ignition temperature (C): Pour point temperature (C): SADT: Viscosity (cSt) @ 40 C:	Petroleum odour Not determined Not measured Not determined 0.92 Heavier than air Not determined Not determined Not determined Not measured
Upper/lower flammability or exp Lower Explosive Limit: Partition coefficient n-octanol/w	Not determined	Upper Explosive Limit:	Not determined

Partition coefficient n-octanol/water (Log Kow):

The data listed above are typical physical and chemical properties that do not constitute product specification.

Other information:

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

SECTION 10 STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Possibility of hazardous reactions: Conditions to avoid: Incompatible materials:	No data available Material is normally stable at ambient temperature and pressure. May react with oxidizing agents High temperature, sparks and open flames.
Incompatible materials:	Keep away from strong oxidizing and reducing agents.
Hazardous decomposition products:	May form CO and CO2.

SECTION 11

TOXICOLOGICAL INFORMATION

Acute toxicity

The preparation has been assessed using the Acute Toxicity Data listed below, and classified for toxicological hazards accordingly. See section 2 for details.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation vapour LD50, mg/L/4hr
Antimony, tris(dipentylcarbamodithioato- S,S')- (OC-6-11)- (0015890-25-2)	Not Available	Not Available	Not Available
Decanedioic Acid - (0000111-20-6)	>5,000, Rat	6,000.00, Rabbit	Not Available
Distillate (petroleum) hydrotreated heavy naphthenic – (0064742-52-5)	>5,000, Rat	5,000.00, Rabbit	Not Available
Hydroxyl Containing Saturated Fatty Acids (Proprietary or N/A)	Not Available	Not Available	Not Available
Lithium hydroxide monohydrate- (0001310-66-3)	Not Available	Not Available	Not Available

SAFETY DATA SHEET CODE: 43000-MG **REVISION: 06/05/2022** Petroleum distillates, solvent-refined heavy paraffinic - (0064741-88-4) >2,000, Rat >2,000, Rabbit Not Available Polybutene - (0009003-29-6) 34,600.00, Rat 10,250.00, Rabbit Not Available Classification **Hazard Description** Category Not classified Not applicable Acute toxicity (oral) Acute toxicity (dermal) Not classified Not applicable Acute toxicity (inhalation) Not classified Not applicable Skin corrosion/irritation Not classified Not applicable Serious eye damage/irritation 2 Causes skin irritation Respiratory sensitisation Not classified Not applicable Skin sensitisation Not classified Not applicable Germ cell mutagenicity Not classified Not applicable Not classified Not applicable Carcinogenicity Reproductive toxicity Not classified Not applicable STOT - single exposure Not classified Not applicable STOT - repeated exposure Not classified Not applicable Not classified Not applicable Aspiration hazard

SECTION 12

ECOLOGICAL INFORMATION

Toxicity:

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.

Aquatic Toxicity:

Ingredient Distillate (petroleum) hydrotreated heavy naphthenic – (0064742-52-5)	96 hr LC50 fish mg/l 5,000.00, Oncorhynchus mykiss	48 hr EC50 crustacea mg/l 1,000.00, Daphnia magna	ErC50algae mg/l 1,000.00 (96 hr) Scenedesmus subspicatus
Petroleum distillates, solvent-refined heavy paraffinic – (0064741-88-4)	Not Available	Not Available	Not Available
Hydroxyl Containing Saturated Fatty Acids – (Proprietary or N/A)	Not Available	Not Available	Not Available
Antimony, tris (dipentylcarbamodithioato- S, S')- (OC-6-11) – (0015890-25-2)	Not Available	Not Available	Not Available
Polybutene – (0009003-29-6)	Not Available	Not Available	Not Available
Decanedioic Acid – (0000111-20-6)	Not Available	Not Available	Not Available
Lithium hydroxide monohydrate – (0001310-66-3)	Not Available	Not Available	Not Available
Persistence and degradability: Bioaccumulative potential: Mobility in soil: Results of PBT and vPvB assessment: Other adverse effects:	There is no data available on the preparation itself. Not measured No data available This product contains no PBT/vPvB chemicals No data available		

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods:Consult federal, state and local regulations regarding disposal methods. Recycle used oil.
Do not contaminate used oil with solvents or other chemicals.

SECTION 14 TRANSPORTATION INFORMATION

UN Number: Not applicable UN proper shipping name: Not regulated

Transport hazard class(es): US DOT Label No

Not regulated

SAFETY DATA SHEET ADR/RID IMDG Sub class	Not regulated Not regulated Not applicable	CODE: 43000-MG	REVISION: 06/05/2022		
Packing group:	Not applicable				
Environmental hazards: ADR/RID IMDG	Environmentally Haza Marine Pollutant: No	ardous: No – Not regulated – Not regulated			
Special precautions for user:	No further information	1			
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable					
SECTION 15	REGULATORY INI	FORMATION			
National Legislation: United States: The regulatory data in Section 15 is All ingredients of this product are lis the TSCA Inventory.			ons are represented. tory or are not required to be listed on		
SARA 311/312 (>0.1%) SARA 313 (>0.1%): CERCLA (>0.1%):	Not applicable Not applicable Not applicable				
Inventory – Canada – Non – Dom		t (NDSL): (Z)-, reaction products with dietl	vlenetriamine oleates		
California Proposition 65 Cancer					
California Proposition 65 Develo	omental: Not applicable				
California Proposition 65 Female	Reproductive: Not applicable				
California Proposition 65 Male Re	eproductive: Not applicable				
Inventory – Australia - Inventory of Chemical Substances (AICS):					
	Decanedioic Acid Distillate (petroleum) Lithium hydroxide mo	rlcarbamodithioato,-S,S')-, (OC- hydrotreated heavy naphthenic nohydrate solvent-refined heavy paraffinic			
Inventory – Japan Existing and New Chemical Substances (ENCS):					
	Antimony, tris(dipenty	<pre>/lcarbamodithioato,-S,S')-, (OC- 078)</pre>	6-11)- (2-2889)		

Decanedioic Acid (2-878) Distillate (petroleum) hydrotreated heavy naphthenic () Petroleum distillates, solvent-refined heavy paraffinic () Polybutene (6-774) Tall oil (7-977; 8-338)

Korean Existing Chemicals Inventory:

Antimony, tris(dipentylcarbamodithioato,-S,S')-, (OC-6-11)-Decanedioic Acid Distillate (petroleum) hydrotreated heavy naphthenic Petroleum distillates, solvent-refined heavy paraffinic Polybutene Tall oil

Inventory of Existing Chemicals Substances in China:

Petroleum distillates, solvent-refined heavy paraffinic Polybutene

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

Antimony, tris(dipentylcarbamodithioato,-S,S')-, (OC-6-11)-Decanedioic Acid Distillate (petroleum) hydrotreated heavy naphthenic Lithium hydroxide monohydrate Petroleum distillates, solvent-refined heavy paraffinic Polybutene Tall oil

Taiwan List of Toxic Chemical Substances regulated under Toxic Chemical Substances Control Act:

Not applicable

EU REACH: Annex XVII, Dangerous Substances and Preparations:

Distillate (petroleum) hydrotreated heavy naphthenic Petroleum distillates, solvent-refined heavy paraffinic

Inventory - European Union – European Inventory of Existing Commercial Chemical Substances (EINECS):

9-Octadecenoic acid (Z)-, reaction products with diethylenetriamine, oleates (271-549-3) Antimony, tris(dipentylcarbamodithioato,-S,S')-, (OC-6-11)- (240-028-2) Decanedioic Acid (203-845-5) Distillate (petroleum) hydrotreated heavy naphthenic (265-155-0) Petroleum distillates, solvent-refined heavy paraffinic (265-090-8) Polybutene () Tackifier () Tall oil (232-304-6)

EU List of Notified Chemical Substances (ELINCS):

Not applicable

Risk Phrases: Not Classified

SECTION 16	OTHER INFORMATION	

This information has been compiled from sources considered to be dependable and is accurate to the best of Morey Oil South Pacific Ltd knowledge. Morey Oil South Pacific Ltd makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. Morey Oil South Pacific Ltd assumes no responsibility for injury to recipient or third persons, or for any damage to any property and recipient assumes all such risks.

The full text of the phrases appearing in section 3 is:

- H314 Causes severe skin burns and eye damage
- H335 May cause respiratory irritation

This is the first revision of this SDS Format, changes from previous revision not applicable.

End of document