# Product Identifier: MOREY'S CRYSTAL BLUE FOOD MACHINERY GREASE EP2

Relevant identified uses of the substance or mixture and uses advised against: Intended use: Refer to Technical Data Sheet

# Details of the supplier of the safety data sheet:

MOREY OIL SOUTH PACIFIC (AUST) PTY LTD 1/62 INGLESTON ROAD, WAKERELY QLD 4154, AUSTRALIA Phone number: 7 321 66000 Website: www.moreyoil.com.au Email: info@moreyoil.com.au

## Emergency telephone number: 1 800 637173

SECTION 2 HAZARDS IDENTIFICATION
----------------------------------

Classification of the substance or mixture: Not Classified

#### Label Elements:

Using the Toxicity Data listed in section 11 & 12 the product is labelled as follows.

Not Classified

HMIS	Health:	0	NFPA	Health:	0
	Fire:	1		Fire:	1
	Physical: Hazards:	0		Reactivity:	0
	PPE:	С		Special Haza	rds:

## **Other Hazards:**

This product contains no PBT/vPvB chemicals.

## Not classified as hazardous according to the criteria of NOHSC Australia. Not defined as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by road or rail.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS				
CAS Number	%	Name	EC No. 1272/2008 GHS Classification	
0068037-01-4	<60	1-Decene, homopolymer, hydrogenated	Not Classified	
0009003-29-6	<30	Polybutene	Not Classified	
0068611-44-9	<20	Silane treated silica	Not Classifed	
0000064-17-5	<3	Ethanol	Flam. Liq. 2;H225	
0009003-27-4	<3	Polyisobutylene	Not Classified	

\* The full texts of the phrases are shown in Section 16.

SECTION 4	FIRST AID MEASURES
General:	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation:	If inhaled, remove person to fresh air and keep comfortable for breathing. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen. If unconscious, place in the recovery position and seek medical attention immediately.
Skin:	In case of contact, immediately rinse skin with plenty of water. Remove contaminated clothing and shoes. If skin irritation occurs, seek medical attention. Launder contaminated clothing before reuse.
Eye:	In case of contact, immediately rinse eyes with plenty of fresh, clean water for at least 15

CODE: 43000-CB minutes. Remove contact lenses if present and co immediately. Do not induce vomiting. Call a doctor or emergen effects, both acute and delayed.	-	
	cy medical facility immediately.	
effects, both acute and delayed.		
	No data available	
edical attention and special treatment needed:	No data available	
FIRE FIGHTING MEASURES		
Use carbon dioxide (CO2), dry chemical, or foam	to extinguish flames.	
Hazardous decomposition products. May form CO and CO2.		
Self-contained full-face positive pressure breathing apparatus (SCBA) should be used. Water can be used to cool and protect exposed material. Do not allow runoff water and contaminants from firefighting to enter drains or water courses.		
ACCIDENTAL RELEASE MEASURES		
ve equipment and emergency procedures: Avoid contact with spilled material. Use suitable p Ventilate area if spilled in confined space or other Evacuate personnel to safe areas. Keep unneces	r poorly ventilated areas. ssary personnel away.	
Prevent entry into sewers and waterways. Repor authorities in accordance with all applicable regul		
ainment and cleaning up: Ventilate the area and avoid breathing vapours. listed in section 8. Contain and absorb spillage with non-combustible outside buildings and dispose of according to the Clean preferably with a detergent. Do not use so Do not allow spills to enter drains or water course	e materials. Place in closed containers Waste Regulations. See section 13. Ivents.	
	FIRE FIGHTING MEASURES Use carbon dioxide (CO2), dry chemical, or foam Hazardous decomposition products. May form CO Self-contained full-face positive pressure breathin Water can be used to cool and protect exposed m contaminants from firefighting to enter drains or w ACCIDENTAL RELEASE MEASURES ve equipment and emergency procedures: Avoid contact with spilled material. Use suitable Ventilate area if spilled in confined space or othe Evacuate personnel to safe areas. Keep unnece: Prevent entry into sewers and waterways. Repor authorities in accordance with all applicable regul ainment and cleaning up: Ventilate the area and avoid breathing vapours. listed in section 8. Contain and absorb spillage with non-combustible outside buildings and dispose of according to the	

SECTION 7	

HANDLING AND STORAGE

Precautions for safe handling:

Handling:	Avoid skin and eye contact. Wash thoroughly after handling. Avoid breathing vapour. Use with adequate ventilation.
In storage:	Store in a dry location at room temperature. Keep this container and vapours from the container away from heat and flame. Keep container closed and maintain all original markings and labels.
Conditions for safe storage including any incompatibilities:	Keep away from strong oxidizing and reducing agents. CAUTION: Do not use cutting or welding torches on drums, even when empty. Do not reuse container. Containers, even those that have been emptied will retain product residue and vapours. Always obey hazard warnings and handle empty containers as if they were full.
Specific end use(s):	There are no exposure scenarios, see details in section 1.

## **SECTION 8**

## **EXPOSURE CONTROLS - PERSONAL PROTECTION**

## **Control parameters:**

The following occupational exposure limits have been established.

0000064-17-5EthanolOSHATWA 1000 ppm (1900 mg/m3) ACGIH0009003-27-4PolyisobutyleneOSHA1000 ppm STEL0009003-27-4PolyisobutyleneOSHANo established limit ACGIH0009003-29-6PolybuteneOSHANo established limit NIOSH0009003-29-6PolybuteneOSHANo established limit NIOSH0068037-01-41-Decene, homopolymer hydrogenatedOSHANo established limit NIOSH0068611-44-9Silane treated silicaOSHANo established limit NIOSH0068611-44-9Silane treated silicaOSHANo established limit NIOSH	CAS NUMBER	INGREDIENT	SOURCE	VALUE
0009003-27-4PolyisobutyleneNIOSHTWA 1000 ppm (1900 mg/m3)0009003-27-4PolyisobutyleneOSHANo established limit0009003-29-6PolybuteneOSHANo established limit0009003-29-6PolybuteneOSHANo established limit0008037-01-41-Decene, homopolymerOSHANo established limit0068037-01-41-Decene, homopolymerOSHANo established limit0068011-44-9Silane treated silicaOSHANo established limit	0000064-17-5	Ethanol	OSHA	TWA 1000 ppm (1900 mg/m3)
0009003-27-4       Polyisobutylene       OSHA       No established limit         0009003-27-4       Polyisobutylene       OSHA       No established limit         0009003-29-6       Polybutene       OSHA       No established limit         0009003-29-6       Polybutene       OSHA       No established limit         0008037-01-4       1-Decene, homopolymer       OSHA       No established limit         0068037-01-4       1-Decene, homopolymer       OSHA       No established limit         0068611-44-9       Silane treated silica       OSHA       No established limit         ACGIH       No established limit       NiOSH       No established limit			ACGIH	1000 ppm STEL
0009003-29-6       Polybutene       ACGIH       No established limit         0009003-29-6       Polybutene       OSHA       No established limit         0008037-01-4       1-Decene, homopolymer       OSHA       No established limit         0068037-01-4       1-Decene, homopolymer       OSHA       No established limit         0068037-01-4       1-Decene, homopolymer       OSHA       No established limit         0068011-44-9       Silane treated silica       OSHA       No established limit         0068611-44-9       Silane treated silica       OSHA       No established limit			NIOSH	TWA 1000 ppm (1900 mg/m3)
0009003-29-6PolybuteneNIOSHNo established limit0009003-29-6PolybuteneOSHANo established limitACGIHNo established limitNIOSHNo established limit0068037-01-41-Decene, homopolymerOSHANo established limit0068037-01-41-Decene, homopolymerOSHANo established limit0068011-44-9Silane treated silicaOSHANo established limit0068611-44-9Silane treated silicaOSHANo established limitACGIHNo established limitACGIHNo established limit	0009003-27-4	Polyisobutylene	OSHA	No established limit
0009003-29-6       Polybutene       OSHA       No established limit         ACGIH       No established limit       NIOSH       No established limit         0068037-01-4       1-Decene, homopolymer       OSHA       No established limit         0068611-44-9       Silane treated silica       OSHA       No established limit         0068611-44-9       Silane treated silica       OSHA       No established limit			ACGIH	No established limit
0068037-01-4       1-Decene, homopolymer       OSHA       No established limit         0068037-01-4       1-Decene, homopolymer       OSHA       No established limit         NIOSH       No established limit       No established limit         NIOSH       No established limit         OSHA       No established limit         ACGIH       No established limit			NIOSH	No established limit
0068037-01-4       1-Decene, homopolymer       NIOSH       No established limit         0068037-01-4       1-Decene, homopolymer       OSHA       No established limit         hydrogenated       ACGIH       No established limit         0068611-44-9       Silane treated silica       OSHA       No established limit         ACGIH       No established limit       No established limit         NIOSH       No established limit       No established limit         NIOSH       No established limit       No established limit	0009003-29-6	Polybutene	OSHA	No established limit
0068037-01-4       1-Decene, homopolymer hydrogenated       OSHA       No established limit NIOSH         0068611-44-9       Silane treated silica       OSHA       No established limit NIOSH         0068611-44-9       Silane treated silica       OSHA       No established limit NIOSH			ACGIH	No established limit
hydrogenated     ACGIH     No established limit       0068611-44-9     Silane treated silica     OSHA     No established limit       ACGIH     No established limit     ACGIH     No established limit			NIOSH	No established limit
NIOSH     No established limit       0068611-44-9     Silane treated silica     OSHA     No established limit       ACGIH     No established limit	0068037-01-4	1-Decene, homopolymer	OSHA	No established limit
0068611-44-9 Silane treated silica OSHA No established limit ACGIH No established limit		hydrogenated	ACGIH	No established limit
ACGIH No established limit			NIOSH	No established limit
	0068611-44-9	Silane treated silica	OSHA	No established limit
NIOSH No established limit			ACGIH	No established limit
			NIOSH	No established limit

Contains mineral oil. The exposure limits for oil mist are 5mg/m3 OSHA PEL and 10mg/m3 ACGIH.

## Carcinogen data:

CAS NUMBER 0000064-17-5	INGREDIENT Ethanol	SOURCE OSHA IARC	VALUE Select Carcinogen: No Group 1: Yes; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0009003-27-4	Polyisobutylene	OSHA IARC	Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0009003-29-6	Polybutene	OSHA IARC	Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0068037-01-4	1-Decene, homopolymer, hydrogenated	OSHA IARC	Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0068611-44-9	Silane treated silica	OSHA IARC	Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;

DNEL/PNEC values:	No data available
Exposure controls:	No special requirements under ordinary conditions of use and with adequate ventilation.
Eye/face protection:	Wear safety glasses. If potential for splash or mist exists, wear chemical goggles or face shield.
Skin protection:	Wear chemical resistant gloves. Gloves should be inspected before each use and discarded if they show tears, pinholes or signs of wear.
Other:	Gloves, overalls, apron, boots, or other suitable protective garments should be worn to minimize contact based on the task being performed.
Respiratory protection:	Use NIOSH/OSHA approved respirator where high vapour concentrations are present.
Thermal hazards:	No data available.

## **SECTION 9**

## PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	
Odour:	
Odour threshold:	
Melting point/freezing point (	C):
Flash point (C):	
Flammability (solid, gas):	
Vapour pressure (Pa):	

BLUE GREASE Petroleum odour Not determined > 200 Not applicable Not determined

pH:Not measuredInitial boiling point and boiling range (C):Not measuredEvaporation rate (H20 = 1):Not determinedRelative density:0.9615Vapour density:Heavier than air

Solubility(ies):	negligible	Auto-ignition temperature (C):	Not determined
Decomposition temperature:	Not determined	Pour point temperature (C):	Not determined
Volatile Organic Compounds:	nil	SADT:	Not determined
Viscosity (cSt) @ 100 C:	Not measured	Viscosity (cSt) @ 40 C:	Not measured
Upper/lower flammability or ex	plosive limits		
Lower Explosive Limit:	Not determined	Upper Explosive Limit:	Not determined
Partition coefficient n-octanol/	water (Log Kow):		Not determined

CODE: 43000-CB

**REVISION: 01/11/2023** 

The data listed above are typical physical and chemical properties that do not constitute product specification.

#### Other information:

SAFETY DATA SHEET

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

## SECTION 10 STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Possibility of hazardous reactions: Conditions to avoid: Incompatible materials: Hazardous decomposition products: No data available Material is normally stable at ambient temperature and pressure. May react with oxidising agents High temperature, sparks and open flames. Keep away from strong oxidising and reducing agents. May form CO and CO2.

## SECTION 11 TOXICOLOGICAL INFORMATION

#### Acute toxicity

Respiratory sensitisation

Germ cell mutagenicity

Skin sensitisation

Exposure to solvent vapour concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may causes irritation and soreness with possible reversible damage.

The preparation has been assessed using the Acute Toxicity Data listed below, and classified for toxicological hazards accordingly. See section 2 for details.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation vapour LD50, mg/L/4hr
1-Decene, homopolymer, hydrogenated - (0068037-01-4)	>5,000, Rat	>2,000, Rabbit	Not Available
Ethanol – (0000064-17-5)	1,501.00, Rat	Not Available	124.70, Rat
Polybutene - (0009003-29-6)	34,600.00, Rat	10,250.00, Rabbit	Not Available
Polyisobutylene – (0009003-27-4)	Not Available	Not Available	Not Available
Silane treated silica – (0068611-44-9)	Not Available	Not Available	Not Available
Classification Acute toxicity (oral)	<b>Category</b> Not classified	Hazard Description	
Acute toxicity (dermal)	Not classified	Not applicable	
Acute toxicity (inhalation)	Not classified	Not applicable	
Skin corrosion/irritation	Not classified	Not application	
Serious eye damage/irritation	Not classified	Not applicable	

Not applicable

Not applicable Not applicable

Not classified

Not classified

Not classified

Carcinogenicity Reproductive toxicity STOT – single exposure STOT – repeated exposure Aspiration hazard

- Not classified Not classified Not classified Not classified Not classified
- Not applicable Not applicable Not applicable Not applicable Not applicable

# SECTION 12 ECOLOGICAL INFORMATION

#### Toxicity:

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.

#### **Aquatic Ecotoxicity:**

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,
	mg/l	mg/l	mg/l
1-Decene, homopolymer hydrogenated – (0068037-01-4)	Not Available	Not Available	Not Available
Polybutene - (0009003-29-6)	Not Available	Not Available	Not Available
Silane treated silica -	10,000.00, Danio	10,000.00 Daphnia	10,000.00 (72 hr)
(0068611-44-9)	rerio	magna	Scenedesmus subspicatus
Ethanol – (0000064-17-5)	42.00, Oncorhynchus	2.00, Daphnia	17.921 (96 hr),
	mykiss	magna	Ulva pertusa
Polyisobutylene – (0009003-27-4)	Not Available	Not Available	Not Available
Persistence and degradability:	There is no data available on the preparation itself.		
Bioaccumulative potential:	Not measured		
Mobility in soil:	No data available		
Results of PBT and vPvB assessment:	This product contains no PBT/vPvB chemicals		
Other adverse effects:	No data available		

## **SECTION 13**

#### **DISPOSAL CONSIDERATIONS**

Waste treatment methods: Consult federal, state and local regulations regarding disposal methods. Recycle used oil. Do not contaminate used oil with solvents or other chemicals.

## SECTION 14 TRANSPORTATION INFORMATION

UN Number:	Not applicable
UN proper shipping name:	Not regulated

Transport hazard class(es):US DOT LabelNot regulatedADR/RIDNot regulatedIMDGNot regulatedSub classNot applicablePacking group:Not applicable

# Environmental hazards:ADR/RIDEnvironmentally Hazardous: No – Not regulatedIMDGMarine Pollutant: No – Not regulated

Special precautions for user: No furthe

No further information

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

## **SECTION 15**

#### National Legislation:

#### United States:

The regulatory data in Section 15 is not intended to be all inclusive, only selected regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.

**REGULATORY INFORMATION** 

SARA 311/312 (>0.1%):	Not applicable
SARA 313 (>0.1%):	Not applicable
CERCLA (>0.1%):	

#### Inventory – Canada – Non – Domestic Substances List (NDSL):

Octadecenamide, N-[2-[(2-hydroxyethyl)amino]ethyl]-, monoacetate (salt)

## California Proposition 65 Cancer:

Not applicable

California Proposition 65 Developmental: 4-methylpentan-2-one Methanol

California Proposition 65 Female Reproductive: Not applicable

California Proposition 65 Male Reproductive: Not applicable

#### Inventory – Australia - Inventory of Chemical Substances (AICS):

1-Decene, homopolymer, hydrogenated 1H-Imidazole- 1 -ethanol, 2-(8-heptadecenyl)-4,5-dihydro-Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene Ethanol Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z),-Phosphorothioic acid, O,O,O-triphenyl ester Polybutene Polyisobutylene Silane treated silica

## Inventory – Japan Existing and New Chemical Substances (ENCS):

1-Decene, homopolymer, hydrogenated () 1H-Imidazole- 1 -ethanol, 2-(8-heptadecenyl)-4,5-dihydro- (5-425; 5-3496) Ethanol (2-202) Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z),- (2-1226; 2-2679; 9-1930) Phosphorothioic acid, O,O,O-triphenyl ester (3-3370) Polybutene (6-774) Polyisobutylene (5-774; 6-774)

#### Korean Existing Chemicals Inventory:

1-Decene, homopolymer, hydrogenated 1H-Imidazole- 1 -ethanol, 2-(8-heptadecenyl)-4,5-dihydro-Ethanol Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z),-Phosphorothioic acid, O,O,O-triphenyl ester Polybutene Polyisobutylene

Inventory of Existing Chemicals Substances in China:

1-Decene, homopolymer, hydrogenated Polybutene Polyisobutylene

## Philippines Inventory of Chemicals and Chemical Substances (PICCS):

1-Decene, homopolymer, hydrogenated 1H-Imidazole- 1 -ethanol, 2-(8-heptadecenyl)-4,5-dihydro-Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene Ethanol Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z),-Phosphorothioic acid, O,O,O-triphenyl ester Polybutene Polyisobutylene Silane treated silica

Taiwan List of Toxic Chemical Substances regulated under Toxic Chemical Substances Control Act:

EU REACH: Annex XVII, Dangerous Substances and Preparations:

Inventory - European Union – European Inventory of Existing Commercial Chemical Substances (EINECS):

1-Decene, homopolymer, hydrogenated () 1H-Imidazole- 1 -ethanol, 2-(8-heptadecenyl)-4,5-dihydro- (202-414-9) Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates (279-632-6) Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (270-128-1) Ethanol (200-578-6) Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z),- (203-749-3) Phosphorothioic acid, O,O,O-triphenyl ester (209-909-9) Polybutene () Polyisobutylene () Silane treated silica (271-893-4)

EU List of Notified Chemical Substances (ELINCS): Not applicable

Risk Phrases: Not Classified

## SECTION 16 OTHER INFORMATION

This information has been compiled from sources considered to be dependable and is accurate to the best of Morey Oil South Pacific Ltd knowledge. Morey Oil South Pacific Ltd makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. Morey Oil South Pacific Ltd assumes no responsibility for injury to recipient or third persons, or for any damage to any property and recipient assumes all such risks.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapour

H304 May be fatal if swallowed and enters airways

This is the first revision of this SDS Format, changes from previous revision not applicable.

End of document