SAFETY DATA SHEET	CODE: 11000-SK	REVISION: 06/05/2022
SECTION 1: IDENTIFICATION OF THE SU	UBSTANCE/MIXTURE AND OF TH	HE COMPANY UNDERTAKING

Product Identifier: MOREY'S DIESEL SMOKE KILLER & INJECTOR CLEANER

Relevant identified uses of the substance or mixture and uses advised against: Intended use: Refer to Technical Data Sheet

Details of the supplier of the safety data sheet:

MOREY OIL SOUTH PACIFIC LTD 135 HEPBURN ROAD, GLENDENE AUCKLAND 0602, NEW ZEALAND Phone number: +649 8139200 Website: www.moreyoil.co.nz Email: info@moreyoil.co.nz

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture:

Label Elements:

Using the Toxicity Data listed in section 11 & 12 the product is labelled as follows.

Hazard:		H227	Combustible liquid.		
Precautionary Prevention:	y Statements:	P210 P273 P280	Keep away from heat / sparks / open flames / hot surfaces. No smoking. Avoid release to the environment. Wear protective gloves / eye protection / face protection.		
Response:		P332+313 P391	If skin irritatior Collect spillag		edical advice/attention.
Storage:		P403+235	Store in a well ventilated place. Keep cool.		
Disposal:		P501	Dispose of contents / container in accordance with local / national regulations.		
HMIS	Health: Fire: Physical: Hazards:	2 2 0	NFPA	Health: Fire: Reactivity:	2 2 0
Hazard Stater	PPE: nent:	С	Special Hazards:-		

Other Hazards:

This product contains no PBT/vPvB chemicals.

HSNO HAZARD CLASSIFICATION: 3.1D

SECTION 3		COMPOSITION / INFORMATION ON INGREDIENTS	
CAS Number	%	Name EC No	. 1272/2008 GHS Classification
0064742-54-7	<60	Petroleum distillates, hydrotreated heavy paraffin	Not Classified
0064742-47-8	<20	Distillates (petroleum), hydrotreated light	Asp. Tox. 1;H304
0064742-52-5	<20	Distillates (petroleum) hydrotreated heavy naphthenic	Not Classified
Proprietary or N/A	<20	Barium Complex	Not Classified
0027247-96-7	<10	2-Ethylhexyl nitrate	Not Classified
0000104-76-7	<5	2-Ethylhexanol	Skin Irrit. 2;H315 Eye
			Irrit. 2;H319
0000091-20-3	<3	Naphthalene	Carc. 2;H351
		·	Acute Tox. 4;H302
			Aquatic Acute 1;H400
			Aquatic Chronic 1;H410
0000095-63-6	<3	1,2,4-trimethylbenzene	Flam. Liq. 3;H226
			Acute Tox. 4;H332
			Eye Irrit. 2;H319
			STOT SE 3;H335
			Skin Irrit. 2;H315
			Aquatic Chronic 2;H411
Proprietary or N/A	<3	Petroleum distillates	Not Classified
Proprietary or N/A	<3	Proprietary additive	Not Classified
Proprietary or N/A	<3	Barium Sulfonate	Not Classified
		hown in Section	
* The full texts of th	e phrases	ares 6.	
SECTION 4		FIRST AID MEASURES	
General:		In all cases of doubt, or when symptoms persist, seek me give anything by mouth to an unconscious person.	edical attention. Never
Inhalation:		If inhaled, remove person to fresh air and keep comfortat If breathing has stopped, give artificial respiration. If brea If unconscious, place in the recovery position and seek m	athing is difficult, give oxygen.
Skin:		In case of contact, immediately rinse skin with plenty of water. Remove contaminated clothing and shoes. If skin irritation occurs, seek medical attention. Launder contaminated clothing before reuse.	
Eye:		In case of contact, immediately rinse eyes with plenty of f minutes. Remove contact lenses if present and continue immediately.	
Ingestion:		Do not induce vomiting. Call a doctor or emergency med	lical facility immediately.
Most important sy	mptoms a	nd effects, both acute and delayed.	o data available
Indication of any ir	mmediate	medical attention and special treatment needed: N	o data available
SECTION 5		FIRE FIGHTING MEASURES	

Extinguishing media:	Use carbon dioxide (CO2), dry chemical, or foam to extinguish flames.
Special hazards arising from the substance or mixture:	Hazardous decomposition products. May form CO and CO2.
Advice for fire-fighters:	Self-contained full-face positive pressure breathing apparatus (SCBA) should be used.

SECTION 6	ACCIDENTAL RELEASE MEASURES
	equipment and emergency procedures: Avoid contact with spilled material. Use suitable personal protective equipment. Ventilate area if spilled in confined space or other poorly ventilated areas. Evacuate personnel to safe areas. Keep unnecessary personnel away.
Environmental precautions:	Prevent entry into sewers and waterways. Report spills as required to appropriate authorities in accordance with all applicable regulations.
Methods and m	 nent and cleaning up: Ventilate the area and avoid breathing vapours. Take the personal protective measures listed in section 8. Contain and absorb spillage with non-combustible materials. Place in closed containers outside buildings and dispose of according to the Waste Regulations. See section 13. Clean preferably with a detergent. Do not use solvents. Do not allow spills to enter drains or water courses. If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes, the Environmental Protection Authority should also be informed. Dispose of in accordance with local environmental regulations.

SECTION 7	HANDLING AND STORAGE

Precautions for	or safe handling:
-----------------	-------------------

SECTION 8	EXPOSURE CONTROLS - PERSONAL PROTECTION
Specific end use(s):	
Conditions for safe storage including any incompatibilities:	Keep away from strong oxidizing and reducing agents. CAUTION: Do not use cutting or welding torches on drums, even when empty. Do not reuse container. Containers, even those that have been emptied will retain product residue and vapours. Always obey hazard warnings and handle empty containers as if they were full. There are no exposure scenarios, see details in section 1.
In storage:	Store in a dry location at room temperature. Keep this container and vapours from the container away from heat and flame. Keep container closed and maintain all original markings and labels.
Handling:	Avoid skin and eye contact. Wash thoroughly after handling. Avoid breathing vapour. Use with adequate ventilation.

Control parameters:

The following occupational exposure limits have been established.

CAS NUMBER	INGREDIENT	SOURCE	VALUE
0000091-20-3	Naphthalene	OSHA	TWA 10 ppm (50 mg/m3)
			STEL 15 ppm
		ACGIH	10 ppm TWA 15 ppm STEL
		NIOSH	TWA 10 ppm (50 mg/m3)
			ST 15 ppm (75mg/m3)
0000095-63-6	1,2,4-trimethylbenzene	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	TWA 25 ppm (125 mg/m3)
0000104-76-7	2-Ethylhexanol	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	No established limit

SAFETY DATA SHEET	CODE: 11000-SK		REVISION: 06/05/2022
0027247-96-7	2-Ethylhexyl nitrate	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	No established limit
0064742-47-8	Distillates (petroleum), hydrotreated light	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	No established limit
0064742-52-5	Distillates (petroleum) hydrotreated	OSHA	No established limit
	heavy naphthenic	ACGIH	No established limit
		NIOSH	No established limit
0064742-54-7	Petroleum distillates, hydrotreated	OSHA	No established limit
	heavy paraffin	ACGIH	No established limit
		NIOSH	No established limit
Proprietary or N/A	Petroleum distillates	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	No established limit
Proprietary or N/A	Proprietary additive	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	No established limit
Proprietary or N/A	Barium Complex	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	No established limit
Proprietary or N/A	Barium Sulfonate	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	No established limit

Contains mineral oil. The exposure limits for oil mist are 5mg/m3 OSHA PEL and 10mg/m3 ACGIH.

Carcinogen data:

CAS NUMBER	INGREDIENT	SOURCE	VALUE
0000091-20-3	Naphthalene	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: Yes;
		-	Group 3: No; Group 4: No;
0000095-63-6	1,2,4-trimethylbenzene	OSHA	Select Carcinogen: No
	, , · · · , · · · ·	IARC	Group 1: No; Group 2A: No; Group 2B: No;
			Group 3: No; Group 4: No;
0000104-76-7	2-Ethylhexanol	OSHA	Select Carcinogen: No
	,	IARC	Group 1: No; Group 2A: No; Group 2B: No;
			Group 3: No; Group 4: No;
0027247-96-7	2-Ethylhexyl nitrate	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No;
			Group 3: No; Group 4: No;
0064742-47-8	Distillates (petroleum),	OSHA	Select Carcinogen: No
	hydrotreated light	IARC	Group 1: No; Group 2A: No; Group 2B: No;
	,		Group 3: No; Group 4: No;
0064742-52-5	Distillates (petroleum) hydrotreated	OSHA	Select Carcinogen: No
	heavy naphthenic	IARC	Group 1: No; Group 2A: No; Group 2B: No;
		-	Group 3: No; Group 4: No;
0064742-54-7	Petroleum distillates, hydrotreated	OSHA	Select Carcinogen: No
	heavy paraffin	IARC	Group 1: No; Group 2A: No; Group 2B: No;
			Group 3: No; Group 4: No;
Proprietary or N/A	Petroleum distillates	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No;
			Group 3: No; Group 4: No;
Proprietary or N/A	Proprietary additive	OSHA	Select Carcinogen: No
· · · · · · · · · · · · · · · · · · ·		IARC	Group 1: No; Group 2A: No; Group 2B: No;
			Group 3: No; Group 4: No;
Proprietary or N/A	Barium Complex	OSHA	Select Carcinogen: No
1 5		IARC	Group 1: No; Group 2A: No; Group 2B: No;
			Group 3: No; Group 4: No;
Proprietary or N/A	Barium Sulfonate	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No;
			Group 3: No; Group 4: No;
			- · · · ·

DNEL/PNEC values:	No data available
Exposure controls:	No special requirements under ordinary conditions of use and with adequate ventilation.
Eye/face protection:	Wear safety glasses. If potential for splash or mist exists, wear chemical goggles or face shield.
Skin protection:	Wear chemical resistant gloves. Gloves should be inspected before each use and discarded if they show tears, pinholes or signs of wear.
Other:	Gloves, overalls, apron, boots, or other suitable protective garments should be worn to minimize contact based on the task being performed.
Respiratory protection:	Use NIOSH/OSHA approved respirator where high vapour concentrations are present.
Thermal hazards:	No data available.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	RED OILY LIQUID			
Odour:	Petroleum odour			
Odour threshold:	Not determined	pH:	Not measured	
Melting point/freezing point (C): Not determined		Initial boiling point and boiling range (C): >220		
Flash point (C):	> 120	Evaporation rate (H20 = 1):	Not determined	
Flammability (solid, gas):	Not applicable	Relative density:	0.899	
Vapour pressure (Pa):	Not determined	Vapour density:	Heavier than air	
Solubility(ies):	negligible	Auto-ignition temperature (C):	Not determined	
Decomposition temperature:	Not determined	Pour point temperature (C):	Not determined	
Volatile Organic Compounds:	nil	SADT:	Not determined	
Viscosity (cSt) @ 100 C:	Not measured	Viscosity (cSt) @ 40 C:	Not measured	
Upper/lower flammability or exp	plosive limits			
Lower Explosive Limit:	Not determined	Upper Explosive Limit:	Not determined	
Partition coefficient n-octanol/water (Log Kow):			Not determined	

The data listed above are typical physical and chemical properties that do not constitute product specification.

Other information:

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

SECTION 10 STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Possibility of hazardous reactions: Conditions to avoid: Incompatible materials: Hazardous decomposition products:

No data available Material is normally stable at ambient temperature and pressure. May react with oxidising agents High temperature, sparks and open flames. Keep away from strong oxidising and reducing agents. May form CO and CO2.

N 11	TOXICOLOGICAL INFORMATION	
------	---------------------------	--

Acute toxicity

SECTIO

The preparation has been assessed using the Acute Toxicity Data listed below, and classified for toxicological hazards accordingly. See section 2 for details.

Ingredient

Oral LD50, mg/kg Skin LD50, mg/kg Inhalation vapour LD50, mg/L/4hr

SAFETY DATA SHEET 1,2,4-trimethylbenzene – (0000095-63-6)	CODE: 110 Not Available	00-SK Not Available	REVISION: 06/05/2022 Not Available
2-Ethylhexanol – (0000104-76-7)	Not Available	Not Available	Not Available
2-Ethylhexyl nitrate – (0027247-96-7)	>2,000, Rat	>2,000, Rabbit	6.39, Rat
Distillate (petroleum) hydrotreated heavy naphthenic – (0064742-52-5)	>5,000, Rat	5,000.00, Rabbit	Not Available
Distillates (petroleum), hydrotreated light – (0064742-47-8)	>5,000, Rat	>2,000, Rabbit	Not Available
Naphthalene – (0000091-20-3)	2,001.00, Rat	2,501.00, Rat	101.00, Rat
Petroleum distillates, hydrotreated heavy paraffin – (0064742-54-7)	>5,000, Rat	>5,000, Rabbit	Not Available
Petroleum Distillates – (Proprietary or N/A)	Not Available	Not Available	Not Available
Proprietary additive – (Proprietary or N/A)	Not Available	Not Available	Not Available
Barium Complex – (Proprietary or N/A)	>5,000, Rat	>2,000, Rabbit	Not Available
Barium Sulfonate – (Proprietary or N/A)	Not Available	Not Available	Not Available

Classification Acute toxicity (oral) Acute toxicity (dermal)	Category Not classified Not classified Not classified	Hazard Description Not applicable Not applicable
Acute toxicity (inhalation) Skin corrosion/irritation Serious eye damage/irritation	Not classified Not classified	Not applicable Not application Not applicable
Respiratory sensitisation Skin sensitisation Germ cell mutagenicity	Not classified Not classified Not classified	Not applicable Not applicable Not applicable
Carcinogenicity Reproductive toxicity	Not classified Not classified	Not applicable Not applicable Not applicable
STOT – single exposure STOT – repeated exposure Aspiration hazard	Not classified Not classified Not classified	Not applicable Not applicable Not applicable

SECTION 12

ECOLOGICAL INFORMATION

Toxicity:

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is classified for eco-toxicological properties accordingly. See Sections 2 and 3 for details.

Aquatic Ecotoxicity:

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,
	mg/l	mg/l	mg/l
Distillates (petroleum), hydrotreated light – (0064742-47-8)	2.20, Lepomis macrochirus	4,720.00, Dendronereides heteropoda	•
Distillate (petroleum) hydrotreated heavy naphthenic – (0064742-52-5)	5,000.00, Oncorhynchus	1,000.00, Daphnia	1,000.00 (96 hr),
	mykiss	magna	Scenedesmus subspicatus
2-Ethylhexyl nitrate – (0027247-96-7)	12.60, Fish (Piscis)	Not Available	0.00 (72 hr),
2-Ethylhexanol – (0000104-76-7)	10.00, Lepomis	39.00, Daphnia	10.00 (72 hr), Chlorella
	macrochirus	magna	emersonii
Naphthalene – (0000091-20-3)	1.20, Oncorhynchus	1.60, Daphnia	68.21 (72 hr), Scenedesmus

SAFETY DATA SHEET	CODE: 110 gorbuscha	00-SK magna	REVISION: 06/05/2022 subspicatus
1,2,4-trimethylbenzene – (0000095-63-6) Petroleum distillates, hydrotreated heavy	7.72, Pimephales promelas	3.60, Daphnia magna	Not Available
paraffin – (0064742-54-7)	Not Available	Not Available	Not Available
Petroleum Distillates – (Proprietary or N/A)	Not Available	Not Available	Not Available
Proprietary additive - (Proprietary or N/A)	Not Available	Not Available	Not Available
Barium Complex – (Proprietary or N/A)	Not Available	Not Available	Not Available
Barium Sulfonate – (Proprietary or N/A)	Not Available	Not Available	Not Available
Persistence and degradability: Bioaccumulative potential:	There is no data available on the preparation itself. Not measured		
Mobility in soil:	No data available		
Results of PBT and vPvB assessment:	This product contains no PBT/vPvB chemicals		
Other adverse effects:	No data available		
SECTION 13 DISPO	SAL CONSIDERATION	S	

Waste treatment methods:

Consult federal, state and local regulations regarding disposal methods. Recycle used oil. Do not contaminate used oil with solvents or other chemicals.

SECTION 14	TRANSPORTATION INFORMATION	
UN Number: UN proper shipping name:	Not applicable Not regulated	
Transport hazard class(es): US DOT Label ADR/RID IMDG Sub class Packing group:	Combustible Liquid, N.O.S. for packages >119 Gallons (450 litres) Not regulated Not regulated Not applicable Not applicable	
Environmental hazards: ADR/RID IMDG	Environmentally Hazardous: Yes – Not regulated Marine Pollutant: Yes (Distillates (petroleum), hydrotreated light) – Not regulated	
Special precautions for user:	No further information	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable		

SECTION 15

REGULATORY INFORMATION

New Zealand:

HSNO Approval Number – HSR002581

HSNO Group Standard - Fuel Additives (Combustible) Group Standard 2017

SAFETY DATA SHEET CODE: 11000-SK **REVISION: 06/05/2022** National Legislation: United States: The regulatory data in Section 15 is not intended to be all inclusive, only selected regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory. SARA 311/312 (>0.1%): Acetic acid ethenyl ester SARA 313 (>0.1%): 1,2,4-trimethylbenzene Acetic acid ethenyl ester Naphthalene **Barium Complex Barium Sulfonate** CERCLA (>0.1%): Acetic acid ethenyl ester Naphthalene Inventory – Canada – Non – Domestic Substances List (NDSL): Not applicable **California Proposition 65 Cancer:** Oxirane, methyl Ethylene oxide Naphthalene Trace reportable aromatic compounds Arsenic Cadmium Lead **California Proposition 65 Developmental:** Arsenic Cadmium Lead California Proposition 65 Female Reproductive: Ethylene oxide Lead **California Proposition 65 Male Reproductive:** Ethylene oxide Cadmium Lead Inventory – Australia - Inventory of Chemical Substances (AICS): 1,2,4-trimethylbenzene 2-Ethylhexanol 2-Ethylhexyl nitrate Acetic acid ethenyl ester Distillate (petroleum) hydrotreated heavy naphthenic Distillate (petroleum), hydrotreated light Naphthalene Petroleum distillates, hydrotreated heavy paraffin **Barium Complex Barium Sulfonate** Inventory – Japan Existing and New Chemical Substances (ENCS):

1,2,4-trimethylbenzene (3-7; 3-3427) 2-Ethylhexanol (2-217) 2-Ethylhexyl nitrate (2-3598) Acetic acid ethenyl ester (2-728) Distillate (petroleum) hydrotreated heavy naphthenic () Distillate (petroleum), hydrotreated light () Naphthalene (4-311)

Korean Existing Chemicals Inventory:

1,2,4-trimethylbenzene 2-Ethylhexanol 2-Ethylhexyl nitrate Acetic acid ethenyl ester Distillate (petroleum) hydrotreated heavy naphthenic Distillate (petroleum), hydrotreated light Naphthalene Petroleum distillates, hydrotreated heavy paraffin

Inventory of Existing Chemicals Substances in China:

2-Ethylhexyl nitrate Acetic acid ethenyl ester Distillate (petroleum), hydrotreated light Petroleum distillates, hydrotreated heavy paraffin Barium Complex

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

Ethylhexanol

1,2,4-trimethylbenzene

2-

2-Ethylhexyl nitrate Acetic acid ethenyl ester Distillate (petroleum) hydrotreated heavy naphthenic Distillate (petroleum), hydrotreated light Naphthalene Petroleum distillates, hydrotreated heavy paraffin Barium Complex Barium Sulfonate

Taiwan List of Toxic Chemical Substances regulated under Toxic Chemical Substances Control Act:

Acetic acid ethenyl ester

EU REACH: Annex XVII, Dangerous Substances and Preparations:

Distillate (petroleum) hydrotreated heavy naphthenic Petroleum distillates, hydrotreated heavy paraffin

Inventory - European Union – European Inventory of Existing Commercial Chemical Substances (EINECS):

1,2,4-trimethylbenzene (202-436-9) 2-Ethylhexanol (203-234-3) 2-Ethylhexyl nitrate (248-363-6) Acetic acid ethenyl ester (203-545-4) Distillate (petroleum) hydrotreated heavy naphthenic (265-155-0) Distillates (petroleum), hydrotreated light (265-149-8) Naphthalene (202-049-5) Petroleum distillates, hydrotreated heavy paraffin (265-157-1) Barium Complex () Barium Sulfonate ()

EU List of Notified Chemical Substances (ELINCS): Not applicable

SAFETY DATA SHEET

R40 Limited evidence of a carcinogenic effect.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 Harmful: may cause lung damage if swallowed.

SECTION 16

OTHER INFORMATION

This information has been compiled from sources considered to be dependable and is accurate to the best of Morey Oil South Pacific Ltd knowledge. Morey Oil South Pacific Ltd makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. Morey Oil South Pacific Ltd assumes no responsibility for injury to recipient or third persons, or for any damage to any property and recipient assumes all such risks.

The full text of the phrases appearing in section 3 is:

- H225 Highly flammable liquid and vapour
- H226 Flammable liquid and vapour
- H302 Harmful if swallowed
- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H335 May cause respiratory irritation
- H351 Suspected of causing cancer
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects

This is the first revision of this SDS Format, changes from previous revision not applicable.

End of document