SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY UNDERTAKING

Product Identifier: LEX'S HIGH SPEED ROLLER BEARING EP2 GREASE

Relevant identified uses of the substance or mixture and uses advised against:

Intended use: Refer to Technical Data Sheet

Details of the supplier of the safety data sheet:

MOREY OIL SOUTH PACIFIC LTD 135 HEPBURN ROAD, GLENDENE AUCKLAND 0602, NEW ZEALAND Phone number: +649 8139200 Website: www.moreyoil.co.nz Email: info@moreyoil.co.nz

SECTION 2

HAZARDS IDENTIFICATION

Classification of the substance or mixture:

Label Elements:

Using the Toxicity Data listed in section 11 & 12 the product is labelled as follows.

Hazard Statement:

Precautionary Statements:

Prevention: P273 Avoid release to the environment.

Disposal: P501 Dispose of contents / container in accordance with local /

national regulations.

HMIS Health: 0 NFPA Health: 0

Fire: 1 Fire: 1 Physical: 0 Reactivity: 0

Hazards:

PPE: C Special Hazards:--

Other Hazards:

This product contains no PBT/vPvB chemicals.

Not classified as hazardous according to the criteria of HSNO New Zealand.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS			
CAS Number	%	Name EC	C No. 1272/2008 GHS Classification
0064742-52-5	<80	Distillate (petroleum) hydrotreated heavy naphthenic	Not Classified
0016958-92-2	<10	Hexanedioic acid, ditridecyl ester	Not Classified
0000106-14-9	<10	Octadecanoic acid, 12-hydroxy-	Not Classified
0085940-28-9	<3	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl a	
0064742-55-8	<1	isobutyl and iso-Pr) esters, zinc salts Petroleum distillates, hydrotreated light paraffinic	Not Classified Not Classified

^{*} The full texts of the phrases are shown in Section 16.

SECTION 4	FIRST AID MEASURES	

General: In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation: If inhaled, remove person to fresh air and keep comfortable for breathing.

If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen. If unconscious, place in the recovery position and seek medical attention immediately.

Skin: In case of contact, immediately rinse skin with plenty of water. Remove contaminated

clothing and shoes. If skin irritation occurs, seek medical attention. Launder contaminated

clothing before reuse.

Eye: In case of contact, immediately rinse eyes with plenty of fresh, clean water for at least 15

minutes. Remove contact lenses if present and continue rinsing. Seek medical attention

immediately.

Ingestion: Do not induce vomiting. Call a doctor or emergency medical facility immediately.

Most important symptoms and effects, both acute and delayed.

No data available

Indication of any immediate medical attention and special treatment needed:

No data available

SECTION 5 FIRE FIGHTING MEASURES

Extinguishing media: Use carbon dioxide (CO2), dry chemical, or foam to extinguish flames.

Special hazards arising from the substance or mixture:

Hazardous decomposition products. May form CO and CO2.

Advice for fire-fighters: Self-contained full-face positive pressure breathing apparatus (SCBA) should be used.

Water can be used to cool and protect exposed material. Do not allow runoff water and

contaminants from firefighting to enter drains or water courses.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Avoid contact with spilled material. Use suitable personal protective equipment. Ventilate area if spilled in confined space or other poorly ventilated areas. Evacuate personnel to safe areas. Keep unnecessary personnel away.

Environmental precautions: Prevent entry into sewers and waterways. Report spills as required to appropriate

authorities in accordance with all applicable regulations.

Methods and material for containment and cleaning up:

Ventilate the area and avoid breathing vapours. Take the personal protective measures

listed in section 8.

Contain and absorb spillage with non-combustible materials. Place in closed containers outside buildings and dispose of according to the Waste Regulations. See section 13.

Clean preferably with a detergent. Do not use solvents.

Do not allow spills to enter drains or water courses.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes, the Environmental

Protection Authority should also be informed.

Dispose of in accordance with local environmental regulations.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling:

Handling: Avoid skin and eye contact. Wash thoroughly after handling. Avoid breathing vapour.

Use with adequate ventilation.

In storage: Store in a dry location at room temperature. Keep this container and vapours from the

container away from heat and flame.

Keep container closed and maintain all original markings and labels.

including any incompatibilities: Keep away from strong oxidizing and reducing agents.

CAUTION: Do not use cutting or welding torches on drums, even when empty. Do not reuse container. Containers, even those that have been emptied will retain product residue and vapours. Always obey hazard warnings and handle empty containers as if they were

full.

Specific end use(s): There are no exposure scenarios, see details in section 1.

SECTION 8 EXPOSURE CONTROLS - PERSONAL PROTECTION

Control parameters:

The following occupational exposure limits have been established.

CAS NUMBER	INGREDIENT	SOURCE	VALUE
0000106-14-9	Octadecanoic acid, 12-hydroxy-	OSHA	No established limit
	• •	ACGIH	No established limit
		NIOSH	No established limit
0016958-92-2	Hexanedioic acid, ditridecyl ester	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	No established limit
0064742-52-5	Distillate (petroleum) hydrotreated heavy naphthenic	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	No established limit
0064742-55-8	Petroleum distillates, hydrotreated light paraffinic	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	No established limit
0085940-28-9	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl	OSHA	No established limit
	and isobutyl and iso-Pr) esters, zinc salts	ACGIH	No established limit
		NIOSH	No established limit

Contains mineral oil. The exposure limits for oil mist are 5mg/m3 OSHA PEL and 10mg/m3 ACGIH.

Carcinogen data:

CAS NUMBER	INGREDIENT	SOURCE	VALUE
0000106-14-9	Octadecanoic acid, 12-hydroxy-	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No;
			Group 3: No; Group 4: No;
0016958-92-2	Hexanedioic acid, ditridecyl ester	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No;
			Group 3: No; Group 4: No;
0064742-52-5	Distillate (petroleum) hydrotreated	OSHA	Select Carcinogen: No
	heavy naphthenic	IARC	Group 1: No; Group 2A: No; Group 2B: No;
			Group 3: No; Group 4: No;
0064742-55-8	Petroleum distillates, hydrotreated	OSHA	Select Carcinogen: No
	light paraffinic	IARC	Group 1: No; Group 2A: No; Group 2B: No;
			Group 3: No; Group 4: No;
0085940-28-9	Phosphorodithioic acid, mixed O,O-	OSHA	Select Carcinogen: No
	bis(2-ethylhexyl and isobutyl and iso-Pr)	IARC	Group 1: No; Group 2A: No; Group 2B: No;
	esters, zinc salts		Group 3: No; Group 4: No;

DNEL/PNEC values: No data available

Exposure controls: No special requirements under ordinary conditions of use and with adequate ventilation.

Eye/face protection: Wear safety glasses. If potential for splash or mist exists, wear chemical goggles or face

shield.

Skin protection: Wear chemical resistant gloves. Gloves should be inspected before each use and discarded

if they show tears, pinholes or signs of wear.

Other: Gloves, overalls, apron, boots, or other suitable protective garments should be worn to

minimize contact based on the task being performed.

Respiratory protection: Use NIOSH/OSHA approved respirator where high vapour concentrations are present.

Thermal hazards: No data available.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: **BROWN GREASE** Odour: Petroleum odour

Odour threshold: Not determined pH: Not determined

Melting point/freezing point (C): Initial boiling point and boiling range (C): > 300 Not determined

Flash point (C): > 200 Evaporation rate (H20 = 1): Not determined

Flammability (solid, gas): Relative density: 0.90 Not applicable

Vapour pressure (Pa): Vapour density: Not determined Heavier than air Solubility(ies): negligible Auto-ignition temperature (C): Not determined **Decomposition temperature:** Not determined Pour point temperature (C): Not determined **Volatile Organic Compounds:** SADT: Not determined

Viscosity (cSt) @ 100 C: Not measured Viscosity (cSt) @ 40 C: Not measured

Upper/lower flammability or explosive limits

Lower Explosive Limit: Not determined Not determined **Upper Explosive Limit:**

Partition coefficient n-octanol/water (Log Kow): Not determined

The data listed above are typical physical and chemical properties that do not constitute product specification.

Other information:

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

SECTION 10 STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Material is normally stable at ambient temperature and pressure.

Possibility of hazardous reactions: May react with oxidising agents

Conditions to avoid: High temperature, sparks and open flames.

Incompatible materials: Keep away from strong oxidising and reducing agents.

Hazardous decomposition products: May form CO and CO2.

SECTION 11 TOXICOLOGICAL INFORMATION

Acute toxicity

The preparation has been assessed using the Acute Toxicity Data listed below, and classified for toxicological hazards accordingly. See section 2 for details.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation vapour LD50, mg/L/4hr
Distillate (petroleum) hydrotreated heavy naphthenic – (0064742-52-5)	>5,000, Rat	5,000.00, Rabbit	Not Available
Hexanedioic acid, ditridecyl ester – 0016958-92-2)	Not Available	Not Available	Not Available
Octadecanoic acid, 12-hydroxy – (0000106-14-9)	Not Available	Not Available	Not Available
Petroleum distillates, hydrotreated light paraffinic – (0064742-55-8)	>2,000, Rat	>2,000, Rabbit	Not Available
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and isobutyl and iso-Pr) esters, zinc salts (0085940-28-9)	Not Available	Not Available	Not Available

Not classified	Not applicable
Not classified	Not applicable
Not classified	Not applicable
Not classified	Not application
Not classified	Not applicable
	Not classified

SECTION 12 ECOLOGICAL INFORMATION

Toxicity:

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is classified for eco-toxicological properties accordingly. See Sections 2 and 3 for details.

Aquatic Ecotoxicity:

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Distillate (petroleum) hydrotreated heavy naphthenic – (0064742-52-5)	5,000.00, Oncorhynchus mykiss	1,000.00, Daphnia magna	1,000.00 (96 hr), Scenedesmus subspicatus
Hexanedioic acid, ditridecyl ester – (0016958-92-2)	Not Available	Not Available	Not Available
Octadecanoic acid, 12-hydroxy (0000106-14-9)	Not Available	Not Available	Not Available
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and isobutyl and iso-Pr) esters, zinc salts - (0085940-28-9)	Not Available	Not Available	Not Available
Petroleum distillates, hydrotreated light paraffinic - (0064742-55-8)	Not Available	Not Available	Not Available

Persistence and degradability: There is no data available on the preparation itself.

Bioaccumulative potential:

Mobility in soil:

Not measured
No data available

Results of PBT and vPvB assessment: This product contains no PBT/vPvB chemicals

Other adverse effects: No data available

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods: Consult federal, state and local regulations regarding disposal methods. Recycle used oil.

Do not contaminate used oil with solvents or other chemicals.

SECTION 14 TRANSPORTATION INFORMATION

UN Number: Not applicable UN proper shipping name: Not regulated

Transport hazard class(es):

US DOT Label Not regulated ADR/RID Not regulated Not regulated Sub class Not applicable

Packing group: Not applicable

Environmental hazards:

ADR/RID Environmentally Hazardous: No – Not regulated

IMDG Marine Pollutant: No – Not regulated

Special precautions for user: No further information

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

The above transport information is provided to assist in the proper classification of this product and may not be suitable for all shipping conditions. Shipping description may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. For information specific to your situation, consult your company's Hazard Materials/ Dangerous Goods expert.

SECTION 15

REGULATORY INFORMATION

National Legislation:

United States:

The regulatory data in Section 15 is not intended to be all inclusive, only selected regulations are represented.

All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.

SARA 311/312 (>0.1%): Not applicable SARA 313 (>0.1%): Not applicable CERCLA (>0.1%): Not applicable

Inventory - Canada - Non - Domestic Substances List (NDSL):

Benzenesulfonic acid, di-C10-18-alkyl derivitives, calcium salts

California Proposition 65 Cancer:

Not applicable

California Proposition 65 Developmental:

Not applicable

California Proposition 65 Female Reproductive:

Not applicable

California Proposition 65 Male Reproductive:

Not applicable

Inventory - Australia - Inventory of Chemical Substances (AICS):

2,6-Di-tert-butylphenol

Distillate (petroleum) hydrotreated heavy naphthenic

Hexanedioic acid, ditridecyl ester Lithium hydroxide monohydrate Octadecanoic acid, 12-hydroxy-

Petroleum distillates, hydrotreated light paraffinic

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and isobutyl and iso-Pr)

esters, zinc salts Rape oil, sulfurized

Inventory – Japan Existing and New Chemical Substances (ENCS):

2,6-Di-tert-butylphenol (3-521; 3-526)

Distillate (petroleum) hydrotreated heavy naphthenic ()

Hexanedioic acid, ditridecyl ester (2-861)

Octadecanoic acid, 12-hydroxy- (2-1340; 9-1676) Petroleum distillates, hydrotreated light paraffinic ()

Korean Existing Chemicals Inventory:

2,6-Di-tert-butylphenol

Distillate (petroleum) hydrotreated heavy naphthenic

Hexanedioic acid, ditridecyl ester Octadecanoic acid, 12-hydroxy-

Petroleum distillates, hydrotreated light paraffinic

Inventory of Existing Chemicals Substances in China:

Petroleum distillates, hydrotreated light paraffinic

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

2,6-Di-tert-butylphenol
Benzenesulfonic acid, d-C10-18-alkyl derivitives, calcium salts
Distillate (petroleum) hydrotreated heavy naphthenic
Hexanedioic acid, ditridecyl ester
Lithium hydroxide monohydrate
Octadecanoic acid, 12-hydroxyPetroleum distillates, hydrotreated light paraffinic
Rape oil, sulfurized

Taiwan List of Toxic Chemical Substances regulated under Toxic Chemical Substances Control Act:

Not applicable

EU REACH: Annex XVII, Dangerous Substances and Preparations:

Distillate (petroleum) hydrotreated heavy naphthenic Petroleum distillates, hydrotreated light paraffinic

Inventory - European Union - European Inventory of Existing Commercial Chemical Substances (EINECS):

2,6-Di-tert-butylphenol (204-884-0)
Benzenesulfonic acid, d-C10-18-alkyl derivitives, calcium salts (298-637-4)
Distillate (petroleum) hydrotreated heavy naphthenic (265-155-0)
Hexanedioic acid, ditridecyl ester (241-029-0)
Octadecanoic acid, 12-hydroxy- (203-366-1)
Petroleum distillates, hydrotreated light paraffinic (265-158-7)
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and isobutyl and iso-Pr) esters, zinc salts (288-917-4)
Rape oil, sulfurized (268-883-7)

EU List of Notified Chemical Substances (ELINCS): Not applicable

Risk Phrases:

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 16 OTHER INFORMATION

This information has been compiled from sources considered to be dependable and is accurate to the best of Morey Oil South Pacific Ltd knowledge. Morey Oil South Pacific Ltd makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. Morey Oil South Pacific Ltd assumes no responsibility for injury to recipient or third persons, or for any damage to any property and recipient assumes all such risks.

The full text of the phrases appearing in section 3 is:

This is the first revision of this SDS Format, changes from previous revision not applicable.

End of document