# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY UNDERTAKING

Product Identifier: MOREY'S SUPER RED EPMP2 WATERPROOF GREASE

Relevant identified uses of the substance or mixture and uses advised against:

Intended use: Refer to Technical Data Sheet

Details of the supplier of the safety data sheet:

MOREY OIL SOUTH PACIFIC LTD

135 HEPBURN ROAD, GLENDENE
AUCKLAND 0602, NEW ZEALAND

Phone number: +649 8139200
Website: www.moreyoil.co.nz
Email: info@moreyoil.co.nz

# SECTION 2

# **HAZARDS IDENTIFICATION**

## Classification of the substance or mixture:

Skin Irrit. 2;H315 Causes skin irritation

## **Label Elements:**

Using the Toxicity Data listed in section 11 & 12 the product is labelled as follows.

GHS Label element:



Signal Word: WARNING

**Hazard Statement:** 

H315 Causes skin irritation

**Precautionary Statements:** 

Prevention: P280 Wear protective gloves/eye protection/face protection

Response: P302+352 IF ON SKIN: Wash with soap and water

P362 Take off contaminated clothing and wash before reuse.

HMIS Health: 2 NFPA Health: 2

Fire: 1 Fire: 1
Physical: 0 Reactivity: 0

Hazards:
PPE: C Special Hazards:--

#### Other Hazards:

This product contains no PBT/vPvB chemicals.

Not classified as hazardous according to the criteria of HSNO New Zealand.

SECTION 3		COMPOSITION / INFORMATION ON INGREDIENTS	INGREDIENTS		
CAS Number	%	Name EC No. 12	72/2008 GHS Classification		
0064742-52-5	<80	Distillate (petroleum) hydrotreated heavy naphthenic	Not Classified		
Proprietary or N/A	<10	Hydroxyl Containing Saturated Fatty Acids	Not Classified		
0009003-29-6	<5	Polybutene	Not Classified		
0064742-46-7	<5	Distillates (petroleum), hydrotreated middle	Not Classified		
0015890-25-2	<5	Antimony, tris(dipentylcarbamodithioato-S,S')-, (OC-6-11)-	Not Classified		
0000111-20-6	<3	Decanedioic Acid	Not Classified		
0001310-66-3	<3	Lithium hydroxide monohydrate	Skin Corr. 1;H314		
		·	STOT SE 3;H335		

<sup>\*</sup> The full texts of the phrases are shown in Section 16.

SECTION 4 FIRST AID MEASURES
------------------------------

**General:** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation:** If inhaled, remove person to fresh air and keep comfortable for breathing.

If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen. If unconscious, place in the recovery position and seek medical attention immediately.

Skin: In case of contact, immediately rinse skin with plenty of water. Remove contaminated

clothing and shoes. If skin irritation occurs, seek medical attention. Launder contaminated

**c**lothing before reuse.

Eye: In case of contact, immediately rinse eyes with plenty of fresh, clean water for at least 15

minutes. Remove contact lenses if present and continue rinsing. Seek medical attention

immediately.

**Ingestion:** Do not induce vomiting. Call a doctor or emergency medical facility immediately.

Most important symptoms and effects, both acute and delayed.

No data available

Indication of any immediate medical attention and special treatment needed: No data available

#### SECTION 5 FIRE FIGHTING MEASURES

**Extinguishing media:** Use carbon dioxide (CO2), dry chemical, or foam to extinguish flames.

Special hazards arising from the substance or mixture:

Hazardous decomposition products. May form CO and CO2.

Advice for fire-fighters: Self-contained full-face positive pressure breathing apparatus (SCBA) should be used.

Water can be used to cool and protect exposed material. Do not allow runoff water and

contaminants from firefighting to enter drains or water courses.

# SECTION 6 ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures:

Avoid contact with spilled material. Use suitable personal protective equipment. Ventilate area if spilled in confined space or other poorly ventilated areas. Evacuate personnel to safe areas. Keep unnecessary personnel away.

Environmental precautions: Prevent entry into sewers and waterways. Report spills as required to appropriate

authorities in accordance with all applicable regulations.

#### Methods and material for containment and cleaning up:

Ventilate the area and avoid breathing vapours. Take the personal protective measures

listed in section 8.

Contain and absorb spillage with non-combustible materials. Place in closed containers outside buildings and dispose of according to the Waste Regulations. See section 13.

Clean preferably with a detergent. Do not use solvents.

Do not allow spills to enter drains or water courses.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes, the Environmental

Protection Authority should also be informed.

Dispose of in accordance with local environmental regulations.

# SECTION 7 HANDLING AND STORAGE

# Precautions for safe handling:

Handling: Avoid skin and eye contact. Wash thoroughly after handling. Avoid breathing vapour.

Use with adequate ventilation.

In storage: Store in a dry location at room temperature. Keep this container and vapours from the

container away from heat and flame.

Keep container closed and maintain all original markings and labels.

including any incompatibilities: Keep away from strong oxidizing and reducing agents.

CAUTION: Do not use cutting or welding torches on drums, even when empty. Do not reuse container. Containers, even those that have been emptied will retain product residue and vapours. Always obey hazard warnings and handle empty containers as if they were

full.

**Specific end use(s):** There are no exposure scenarios, see details in section 1.

# SECTION 8 EXPOSURE CONTROLS - PERSONAL PROTECTION

# **Control parameters:**

The following occupational exposure limits have been established.

CAS NUMBER	INGREDIENT	SOURCE	VALUE
0000111-20-6	Decanedioic Acid	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	No established limit
0001310-66-3	Lithium hydroxide monohydrate	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	No established limit
0009003-29-6	Polybutene	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	No established limit
0015890-25-2	Antimony, tris(dipentylcarbamodithioato-S,S')-	OSHA	No established limit
	(OC-6-11)-	ACGIH	No established limit
		NIOSH	No established limit
0064742-46-7	Distillates (petroleum), hydrotreated middle	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	No established limit
0064742-52-5	Distillate (petroleum) hydrotreated	OSHA	No established limit
	heavy naphthenic	ACGIH	No established limit
		NIOSH	No established limit
Proprietary or N/A	Hydroxyl Containing Saturated Fatty Acids	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	No established limit

Contains mineral oil. The exposure limits for oil mist are 5mg/m3 OSHA PEL and 10mg/m3 ACGIH.

# Carcinogen data:

<b>CAS NUMBER</b> 0000111-20-6	INGREDIENT Decanedioic Acid	SOURCE OSHA IARC	VALUE Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0001310-66-3	Lithium hydroxide monohydrate	OSHA IARC	Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0009003-29-6	Polybutene	OSHA IARC	Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0015890-25-2	Antimony, tris(dipentylcarbamodithioato S,S')-, (OC-6-11)-	OSHA IARC	Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0064742-46-7	Distillates (petroleum), hydrotreated middle	OSHA IARC	Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0064742-52-5	Distillate (petroleum) hydrotreated heavy naphthenic	OSHA IARC	Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
Proprietary or N/A	Hydroxyl Containing Saturated Fatty Acids	OSHA IARC	Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;

**DNEL/PNEC values:** No data available

No special requirements under ordinary conditions of use and with adequate ventilation. **Exposure controls:** 

Wear safety glasses. If potential for splash or mist exists, wear chemical goggles or face Eye/face protection:

shield.

Skin protection: Wear chemical resistant gloves. Gloves should be inspected before each use and discarded

if they show tears, pinholes or signs of wear.

Other: Gloves, overalls, apron, boots, or other suitable protective garments should be worn to

minimize contact based on the task being performed.

Respiratory protection: Use NIOSH/OSHA approved respirator where high vapour concentrations are present.

Thermal hazards: No data available.

#### **SECTION 9** PHYSICAL AND CHEMICAL PROPERTIES

**RED GREASE** Appearance: Odour: Petroleum odour Odour threshold: pH: Not determined Not measured Initial boiling point and boiling range (C): Melting point/freezing point (C): Not determined > 300 Evaporation rate (H20 = 1): Not determined Flash point (C): > 200 Flammability (solid, gas): Not applicable Relative density: 0.9435 Vapour pressure (Pa): Not determined Vapour density: Heavier than air Solubility(ies): Auto-ignition temperature (C): negligible Not determined **Decomposition temperature:** Not determined Pour point temperature (C): Not determined

**Volatile Organic Compounds:** nil

SADT: Not determined Viscosity (cSt) @ 100 C: Not measured Viscosity (cSt) @ 40 C: Not measured

Upper/lower flammability or explosive limits

**Lower Explosive Limit:** Not determined **Upper Explosive Limit:** Not determined

Partition coefficient n-octanol/water (Log Kow): Not determined

The data listed above are typical physical and chemical properties that do not constitute product specification.

### Other information:

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

#### **SECTION 10** STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Material is normally stable at ambient temperature and pressure.

Possibility of hazardous reactions: May react with oxidizing agents

Conditions to avoid: High temperature, sparks and open flames.

Incompatible materials: Keep away from strong oxidizing and reducing agents.

Hazardous decomposition products: May form CO and CO2.

#### **SECTION 11 TOXICOLOGICAL INFORMATION**

## **Acute toxicity**

The preparation has been assessed using the Acute Toxicity Data listed below, and classified for toxicological hazards accordingly. See section 2 for details.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation vapour LD50, mg/L/4hr
Antimony, tris(dipentylcarbamodithioato-S,S')- (OC-6-11)- (0015890-25-2)	Not Available	Not Available	Not Available
Decanedioic Acid – (0000111-20-6)	>5,000, Rat	6,000.00, Rabbit	Not Available
Distillate (petroleum) hydrotreated heavy naphthenic – (0064742-52-5)	>5,000, Rat	5,000.00, Rabbit	Not Available
Distillates (petroleum), hydrotreated middle – (0064742-46-7)	>5,000, Rat	3,000.00 Rabbit	Not Available
Hydroxyl Containing Saturated Fatty Acids (Proprietary or N/A)	Not Available	Not Available	Not Available

Lithium hydroxide monohydrate-

(0001310-66-3) Not Available Not Available Not Available

Polybutene – (0009003-29-6) 34,600.00, Rat 10,250.00, Rabbit Not Available

Classification **Hazard Description** Category Not classified Not applicable Acute toxicity (oral) Acute toxicity (dermal) Not classified Not applicable Acute toxicity (inhalation) Not classified Not applicable Causes skin irritation Skin corrosion/irritation Serious eye damage/irritation Not classified Not applicable Respiratory sensitisation Not classified Not applicable Not classified Skin sensitisation Not applicable

Germ cell mutagenicity Not classified Not applicable Not classified Not applicable Carcinogenicity Reproductive toxicity Not classified Not applicable STOT - single exposure Not classified Not applicable STOT - repeated exposure Not classified Not applicable Aspiration hazard Not classified Not applicable

## SECTION 12 ECOLOGICAL INFORMATION

#### **Toxicity:**

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.

# **Aquatic Ecotoxicity:**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Distillate (petroleum) hydrotreated heavy naphthenic – (0064742-52-5)	5,000.00, Oncorhynchus mykiss	1,000.00, Daphnia magna	1,000.00 (96 hr), Scenedesmus subspicatus
Hydroxyl Containing Saturated Fatty	ny woc	ag.ia	Coomodoomac capopicatae
Acids – (Proprietary or N/A)	Not Available	Not Available	Not Available
Polybutene – (0009003-29-6)	Not Available	Not Available	Not Available
Distillates (petroleum), hydrotreated middle – (0064742-46-7)	54.00, Jordanella floridae	68.00, Daphnia magna	Not Available
Antimony, tris (dipentylcarbamodithioato-S, S')- (OC-6-11) – (0015890-25-2)	Not Available	Not Available	Not Available
Decanedioic Acid - (0000111-20-6)	Not Available	Not Available	Not Available
Lithium hydroxide monohydrate – (0001310-66-3)	Not Available	Not Available	Not Available

Persistence and degradability: There is no data available on the preparation itself.

**Bioaccumulative potential:**Mobility in soil:
Not measured
No data available

Results of PBT and vPvB assessment: This product contains no PBT/vPvB chemicals

Other adverse effects: No data available

# SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods: Consult federal, state and local regulations regarding disposal methods. Recycle used oil.

Do not contaminate used oil with solvents or other chemicals.

# SECTION 14 TRANSPORTATION INFORMATION

UN Number: Not applicable UN proper shipping name: Not regulated

Transport hazard class(es):

US DOT Label Not regulated

ADR/RID Not regulated IMDG Not regulated Sub class Not applicable

Packing group: Not applicable

**Environmental hazards:** 

ADR/RID Environmentally Hazardous: No – Not regulated

IMDG Marine Pollutant: No – Not regulated

**Special precautions for user:** No further information

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

# SECTION 15 REGULATORY INFORMATION

New Zealand:

HSNO Approval Number HSR002605

HSNO Group Standard Lubricants (Low Hazard) Group Standard 2017

**HSNO Classification** 6.3 Skin Irritation – Category A

#### **National Legislation:**

**United States:** 

The regulatory data in Section 15 is not intended to be all inclusive, only selected regulations are represented.

All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.

SARA 311/312 (>0.1%): Not applicable SARA 313 (>0.1%): Not applicable CERCLA (>0.1%): Not applicable

# Inventory - Canada - Non - Domestic Substances List (NDSL):

9-Octadecenoic acid (Z)-, reaction products with diethylenetriamine, oleates

#### California Proposition 65 Cancer:

Arsenic Ethyl benzene Cadmium Ethyl acrylate

#### California Proposition 65 Developmental:

Arsenic Cadmium Lead

Lead

# California Proposition 65 Female Reproductive:

Lead

# California Proposition 65 Male Reproductive:

Cadmium Lead

# Inventory - Australia - Inventory of Chemical Substances (AICS):

Antimony, tris(dipentylcarbamodithioato,-S,S')-, (OC-6-11)-

Decanedioic Acid

Distillate (petroleum) hydrotreated heavy naphthenic

Distillates (petroleum), hydrotreated middle

Lithium hydroxide monohydrate

Olefin Sulfide

Phosphoric acid/Alkyl esters

Polybutene Tall oil

# Inventory - Japan Existing and New Chemical Substances (ENCS):

Antimony, tris(dipentylcarbamodithioato,-S,S')-, (OC-6-11)- (2-2889)

Decanedioic Acid (2-878)

Distillate (petroleum) hydrotreated heavy naphthenic ()

Distillates (petroleum), hydrotreated middle ()

Polybutene (6-774)

Tall oil (7-977; 8-338)

## **Korean Existing Chemicals Inventory:**

Antimony, tris(dipentylcarbamodithioato,-S,S')-, (OC-6-11)-Decanedioic Acid
Distillate (petroleum) hydrotreated heavy naphthenic
Distillates (petroleum), hydrotreated middle
Polybutene
Tall oil

## Inventory of Existing Chemicals Substances in China:

Distillates (petroleum), hydrotreated middle Olefin Sulfide Polybutene

### Philippines Inventory of Chemicals and Chemical Substances (PICCS):

Antimony, tris(dipentylcarbamodithioato, -S,S')-, (OC-6-11)-Decanedioic Acid
Distillate (petroleum) hydrotreated heavy naphthenic
Distillates (petroleum), hydrotreated middle
Lithium hydroxide monohydrate
Olefin Sulfide
Phosphoric acid/Alkyl esters
Polybutene
Tall oil

## Taiwan List of Toxic Chemical Substances regulated under Toxic Chemical Substances Control Act:

Not applicable

## EU REACH: Annex XVII, Dangerous Substances and Preparations:

Distillate (petroleum) hydrotreated heavy naphthenic Distillates (petroleum), hydrotreated middle

## Inventory - European Union - European Inventory of Existing Commercial Chemical Substances (EINECS):

9-Octadecenoic acid (Z)-, reaction products with diethylenetriamine, oleates (271-549-3) Antimony, tris(dipentylcarbamodithioato,-S,S')-, (OC-6-11)- (240-028-2) Decanedioic Acid (203-845-5) Distillate (petroleum) hydrotreated heavy naphthenic (265-155-0) Distillates (petroleum), hydrotreated middle (265-148-2) Olefin Sulfide () Phosphoric acid/Alkyl esters () Polybutene () Tall oil (232-304-6)

## EU List of Notified Chemical Substances (ELINCS): Not applicable

Risk Phrases: Not Classified

# SECTION 16 OTHER INFORMATION

This information has been compiled from sources considered to be dependable and is accurate to the best of Morey Oil South Pacific Ltd knowledge. Morey Oil South Pacific Ltd makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. Morey Oil South Pacific Ltd assumes no responsibility for injury to recipient or third persons, or for any damage to any property and recipient assumes all such risks.

The full text of the phrases appearing in section 3 is:

H314 Causes severe skin burns and eye damage

H335 May cause respiratory irritation

This is the first revision of this SDS Format, changes from previous revision not applicable.