Product Identifier: WHITE LITHIUM GREASE #1

Relevant identified uses of the substance or mixture and uses advised against: Intended use: Refer to Technical Data Sheet

Details of the supplier of the safety data sheet:

MOREY OIL SOUTH PACIFIC (AUST) PTY LTD 2/50 SUCCESS STREET, ACACIA RIDGE QLD 4110, AUSTRALIA

Phone number: 7 321 66000 Website: www.moreyoil.com.au Email: info@moreyoil.com.au

Emergency telephone number: 1 800 637173

SECTION 2

HAZARDS IDENTIFICATION

Classification of the substance or mixture:

Label Elements:

Using the Toxicity Data listed in section 11 & 12 the product is labelled as follows.

Hazard Statement:

Precautionary Statements:

Prevention:		P273	Avoid release to the environment.		ent.
Disposal:		P501	Dispose of contents/container in accordance with loo national regulations.		in accordance with local/
HMIS	Health: Fire: Physical: Hazards: PPE:	0 1 0 C	NFPA	Health: Fire: Reactivity: Special Hazar	0 1 0 rds:

Other Hazards:

This product contains no PBT/vPvB chemicals.

Not classified as hazardous according to the criteria of NOHSC Australia. Not defined as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by road or rail.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS			
CAS Number	%	Name	EC No. 1272/2008 GHS Classification
0064742-54-7	<100	Petroleum distillates, hydrotreated heavy paraffin	Not Classified
0013463-67-7	<10	Titanium dioxide	Not Classified
Proprietary or N/A	<3	Hydroxyl Containing Saturated Fattys Acids	Not Classified

* The full texts of the phrases are shown in Section 16.

SECTION 4	FIRST AID MEASURES
General:	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation:	If inhaled, remove person to fresh air and keep comfortable for breathing. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen. If unconscious, place in the recovery position and seek medical attention immediately.

SAFETY DATA SHEET Skin:	CODE: 43000-WGLREVISION: 06/05/2022In case of contact, immediately rinse skin with plenty of water. Remove contaminated clothing and shoes. If skin irritation occurs, seek medical attention. Launder contaminated clothing before reuse.	
Eye:	In case of contact, immediately rinse eyes with plenty of fresh, clean water for at least 15 minutes. Remove contact lenses if present and continue rinsing. Seek medical attention immediately.	
Ingestion:	Do not induce vomiting. Call a doctor or emergency	medical facility immediately.
Most important symptoms and effects, both acute and delayed.		No data available
Indication of any immediate me	No data available	

	SECTION 5	FIRE FIGHTING MEASURES
--	-----------	------------------------

SECTION 6	ACCIDENTAL RELEASE MEASURES
Advice for fire-fighters:	Self-contained full-face positive pressure breathing apparatus (SCBA) should be used. Water can be used to cool and protect exposed material. Do not allow runoff water and contaminants from firefighting to enter drains or water courses.
Special hazards arising from the substance or mixture:	Hazardous decomposition products. May form CO and CO2.
Extinguishing media:	Use carbon dioxide (CO2), dry chemical, or foam to extinguish flames.

Personal precautions, protective	e equipment and emergency procedures: Avoid contact with spilled material. Use suitable personal protective equipment. Ventilate area if spilled in confined space or other poorly ventilated areas. Evacuate personnel to safe areas. Keep unnecessary personnel away.
Environmental precautions:	Prevent entry into sewers and waterways. Report spills as required to appropriate authorities in accordance with all applicable regulations.
Methods and material for contai	 Inment and cleaning up: Ventilate the area and avoid breathing vapours. Take the personal protective measures listed in section 8. Contain and absorb spillage with non-combustible materials. Place in closed containers outside buildings and dispose of according to the Waste Regulations. See section 13. Clean preferably with a detergent. Do not use solvents. Do not allow spills to enter drains or water courses. If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes, the Environmental Protection Authority should also be informed. Dispose of in accordance with local environmental regulations.

SECTION 7	HANDLING AND STORAGE	
Precautions for safe handling:		
Handling:	Avoid skin and eye contact. Wash thoroughly after handling. Avoid breathing vapour. Use with adequate ventilation.	
In storage:	Store in a dry location at room temperature. Keep this container and vapours from the container away from heat and flame. Keep container closed and maintain all original markings and labels.	
Conditions for safe storage including any incompatibilities:	Keep away from strong oxidizing and reducing agents. CAUTION: Do not use cutting or welding torches on drums, even when empty. Do not reuse container. Containers, even those that have been emptied will retain product residu and vapours. Always obey hazard warnings and handle empty containers as if they were full.	е
Specific end use(s):	There are no exposure scenarios, see details in section 1.	
		2

SECTION 8

EXPOSURE CONTROLS - PERSONAL PROTECTION

Control parameters:

The following occupational exposure limits have been established.

CAS NUMBER	INGREDIENT	SOURCE	VALUE
0013463-67-7	Titanium dioxide	OSHA	TWA 15 mg/m3
		ACGIH	10 mg/m3 TWA
		NIOSH	No established limit
0064742-54-7	Petroleum distillates, hydrotreated heavy paraffin	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	No established limit
Proprietary or N/A	Hydroxyl Containing Saturated Fatty Acids	OSHA	No established limit
		ACGIH	No established limit
		NIOSH	No established limit

Contains mineral oil. The exposure limits for oil mist are 5mg/m3 OSHA PEL and 10mg/m3 ACGIH.

Carcinogen data:

CAS NUMBER 0013463-67-7	INGREDIENT Titanium dioxide	SOURCE OSHA IARC	VALUE Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: Yes; Group 3: Yes; Group 4: No;
0064742-54-7	Petroleum distillates, hydrotreated heavy paraffin	OSHA IARC	Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
Proprietary or N/A	Hydroxyl Containing Saturated Fatty Acids	OSHA IARC	Select Carcinogen: No Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;

DNEL/PNEC values: No data available

Exposure controls: No special requirements under ordinary conditions of use and with adequate ventilation.

Eye/face protection: Wear safety glasses. If potential for splash or mist exists, wear chemical goggles or face shield.

Skin protection:Wear chemical resistant gloves. Gloves should be inspected before each use and discarded
if they show tears, pinholes or signs of wear.

 Other:
 Gloves, overalls, apron, boots, or other suitable protective garments should be worn to minimize contact based on the task being performed.

Respiratory protection: Use NIOSH/OSHA approved respirator where high vapour concentrations are present.

Thermal hazards: No data available.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Odour: Odour threshold: Melting point/freezing point (C): Flash point (C): Flammability (solid, gas): Vapour pressure (Pa): Solubility(ies): Decomposition temperature: Volatile Organic Compounds: Viscosity (cSt) @ 100 C:	WHITE GREASE Petroleum odour Not determined > 200 Not applicable Not determined negligible Not determined nil Not measured	pH: Initial boiling point and boiling range (C): Evaporation rate (H20 = 1): Relative density: Vapour density: Auto-ignition temperature (C): Pour point temperature (C): SADT: Viscosity (cSt) @ 40 C:	Not measured > 300 Not determined 0.9051 Heavier than air Not determined Not determined Not determined Not measured
Upper/lower flammability or expl Lower Explosive Limit: Partition coefficient n-octanol/wa	Not determined	Upper Explosive Limit:	Not determined

The data listed above are typical physical and chemical properties that do not constitute product specification.

Other information:

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

SECTION 10

Chemical Stability:

Conditions to avoid:

Incompatible materials:

Hazardous decomposition products:

Reactivity:

No data available Material is normally stable at ambient temperature and pressure. Possibility of hazardous reactions: May react with oxidising agents

High temperature, sparks and open flames.

Keep away from strong oxidising and reducing agents. May form CO and CO2.

SECTION 11

TOXICOLOGICAL INFORMATION

STABILITY AND REACTIVITY

Acute toxicity

The preparation has been assessed using the Acute Toxicity Data listed below, and classified for toxicological hazards accordingly. See section 2 for details.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation vapour LD50, mg/L/4hr
Hydroxyl Containing Saturated Fatty Acids – (Proprietary or N/A)	Not Available	Not Available	Not Available
Petroleum Distillates, hydrotreated heavy paraffin – (0064742-54-7)	>5,000, Rat	>5,000, Rabbit	Not Available
Titanium dioxide - (0013463-67-7)	10,000.00, Rat	Not Available	Not Available

Classification	Category	Hazard Description
Acute toxicity (oral)	Not classified	Not applicable
Acute toxicity (dermal)	Not classified	Not applicable
Acute toxicity (inhalation)	Not classified	Not applicable
Skin corrosion/irritation	Not classified	Not application
Serious eye damage/irritation	Not classified	Not applicable
Respiratory sensitisation	Not classified	Not applicable
Skin sensitisation	Not classified	Not applicable
Germ cell mutagenicity	Not classified	Not applicable
Carcinogenicity	Not classified	Not applicable
Reproductive toxicity	Not classified	Not applicable
STOT – single exposure	Not classified	Not applicable
STOT – repeated exposure	Not classified	Not applicable
Aspiration hazard	Not classified	Not applicable

SECTION 12

ECOLOGICAL INFORMATION

Toxicity:

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is classified for eco-toxicological properties accordingly. See Sections 2 and 3 for details.

Aquatic Ecotoxicity:

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Petroleum distillates, hydrotreated heavy paraffin – (0064742-54-7)	Not Available	Not Available	Not Available
Titanium dioxide - (0013463-67-7)	1,000.00, Fundulus heteroclitus	5.50, Daphnia magna	5.83 (72 hr), Pseudokirchneriella subcapitata
Hydroxyl Containing Saturated Fatty Acid – (Proprietary or N/A)	Not Available	Not Available	Not Available

SAFETY DATA SHEET

CODE: 43000-WGL

REVISION: 06/05/2022

Persistence and degradability:	There is no data available on the preparation itself.
Bioaccumulative potential:	Not measured
Mobility in soil:	No data available
Results of PBT and vPvB assessment:	This product contains no PBT/vPvB chemicals
Other adverse effects:	No data available

SECTION 13	DISPOSAL CONSIDERATIONS	
Waste treatment methods:	Consult federal, state and local regulations regarding disposal methods. Recycle used oil. Do not contaminate used oil with solvents or other chemicals.	
SECTION 14	TRANSPORTATION INFORMATION	
UN Number:	Not applicable	
UN proper shipping name:	Not regulated	
Transport hazard class(es):		
US DOT Label	Not regulated	
ADR/RID	Not regulated	
IMDG	Not regulated	
Sub class	Not applicable	
Packing group:	Not applicable	
Environmental hazards: ADR/RID IMDG	Environmentally Hazardous: No – Not regulated Marine Pollutant: No – Not regulated	

Special precautions for user: No further information

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

SECTION 15

REGULATORY INFORMATION

National Legislation: United States:

The regulatory data in Section 15 is not intended to be all inclusive, only selected regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.

SARA 311/312 (>0.1%):	Not applicable
SARA 313 (>0.1%):	Not applicable
CERCLA (>0.1%):	Not applicable

Inventory – Canada – Non – Domestic Substances List (NDSL): Not applicable

California Proposition 65 Cancer: Not applicable

California Proposition 65 Developmental: Not applicable

California Proposition 65 Female Reproductive: Not applicable

California Proposition 65 Male Reproductive: Not applicable

Inventory – Australia - Inventory of Chemical Substances (AICS):

Lithium hydroxide monohydrate Petroleum distillates, hydrotreated heavy paraffin Titanium dioxide

SAFETY DATA SHEET

CODE: 43000-WGL

Inventory – Japan Existing and New Chemical Substances (ENCS):

Petroleum distillates, hydrotreated heavy paraffin () Titanium dioxide (1-558; 5-5225)

Korean Existing Chemicals Inventory:

Petroleum distillates, hydrotreated heavy paraffin Titanium dioxide

Inventory of Existing Chemical Substances in China:

Petroleum distillates, hydrotreated heavy paraffin

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

Lithium hydroxide monohydrate Petroleum distillates, hydrotreated heavy paraffin Titanium dioxide

Taiwan List of Toxic Chemical Substances regulated under Toxic Chemical Substances Control Act:

Not applicable

EU REACH: Annex XVII, Dangerous Substances and Preparations:

Petroleum distillates, hydrotreated heavy paraffin

Inventory - European Union – European Inventory of Existing Commercial Chemical Substances (EINECS):

Petroleum distillates, hydrotreated heavy paraffin (265-157-1) Titanium dioxide (236-675-5)

EU List of Notified Chemical Substances (ELINCS): Not applicable

Risk Phrases:

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 16	OTHER INFORMATION	
------------	-------------------	--

This information has been compiled from sources considered to be dependable and is accurate to the best of Morey Oil South Pacific Ltd knowledge. Morey Oil South Pacific Ltd makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. Morey Oil South Pacific Ltd assumes no responsibility for injury to recipient or third persons, or for any damage to any property and recipient assumes all such risks.

The full text of the phrases appearing in section 3 is:

This is the first revision of this SDS Format, changes from previous revision not applicable.

End of document